

UNITED STATES PARTMENT OF COMMERCE

Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

FIRST NAMED INVENTOR ATTORNEY DOCKET NO. APPLICATION NO. FILING DATE 08/448,644 05/24/95 **HARVEY** J 5634.163 **EXAMINER** LM61/0205 THOMAS J SCOTT JR MARCELO, M HOWREY & SIMON **ART UNIT** PAPER NUMBER 1299 PENNSYLVANIA AVENUE NW WASHINGTON DC 20004 2733 DATE MAILED: 02/05/98

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks





Office Action Summary

Application No. **08/448,644**

Applicant(s)

Harvey et al.

Examiner

Group Art Unit

2733 Melvin Marcelo Responsive to communication(s) filed on Jul 21, 1997 In This action is FINAL. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11; 453 O.G. 213. A shortened statutory period for response to this action is set to expire _____3 __ month(s), or thirty days, whichever is longer, from the mailing date of this communication. Failure to respond within the period for response will cause the application to become abandoned. (35 U.S.C. § 133). Extensions of time may be obtained under the provisions of 37 CFR 1.136(a). Disposition of Claims Of the above, claim(s) ______ is/are withdrawn from consideration. ☐ Claim(s) ____ is/are objected to. ☐ Claims ______ are subject to restriction or election requirement. Application Papers See the attached Notice of Draftsperson's Patent Drawing Review, PTO-948. ☐ The drawing(s) filed on is/are objected to by the Examiner. ☐ The proposed drawing correction, filed on is ☐approved ☐disapproved. ☐ The specification is objected to by the Examiner. ☐ The oath or declaration is objected to by the Examiner. Priority under 35 U.S.C. § 119 Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d). ☐ All ☐ Some* ☐ None of the CERTIFIED copies of the priority documents have been received. received in Application No. (Series Code/Serial Number) received in this national stage application from the International Bureau (PCT Rule 17.2(a)). *Certified copies not received: Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e). Attachment(s) ☐ Notice of References Cited, PTO-892 ☐ Information Disclosure Statement(s), PTO-1449, Paper No(s). ☐ Interview Summary, PTO-413 ☐ Notice of Draftsperson's Patent Drawing Review, PTO-948 ■ Notice of Informal Patent Application, PTO-152 X formdix --- SEE OFFICE ACTION ON THE FOLLOWING PAGES ---



Page 2

Serial Number: 08/448,644

Art Unit: 2733

DETAILED ACTION

1. This Office Action is responsive to the amendment(s) filed 07-21-97.

DOUBLE PATENTING V.S. PATENTS

2. In view of further analysis and applicant's arguments, the rejection of the claims in the instant application under double patenting based on the broad analysis of *In re Schneller* as set forth in paragraphs 7-10 of the previous Office Action has been withdrawn.

DOUBLE PATENTING BETWEEN APPLICATIONS

3. Conflicts exist between claims of the following related co-pending applications which includes the present application:

#	Ser. No.	#	Ser. No.	#	Ser. No.
1	397371	2	397582	3	397636
4	435757	5	435758	6	437044
7	437045	8	437629	9	437635
10	437791	11	437819	12	437864
13	437887	14	437937	15	438011
16	438206	17	438216	18	438659
19	439668	20	439670	21	440657
22	440837	23	441027	24	441033
25	441575	26	441577	27	441701
28	441749	29	441821	30	441880
31	441942	32	441996	33	442165
34	442327	35	442335	36	442369
37	442383	38	442505	39	442507
40	444643	41	444756	42	444757



Serial Number: 08/448,644

Art Unit: 2733

43	444758	44	444781	45	444786
46	444787	47	444788	48	444887
49	445045	50	445054	51	445290
52	445294	53	445296	54	445328
55	446123	56	446124	57	446429
58	446430	59	446431	60	446432
61	446494	62	446553	63	446579
64	447380	65	447414	66	447415
67	447416	68	447446	69	447447
70	447448	71	447449	72	447496
73	447502	74	447529	75	447611
76	447621	77	447679	78	447711
79	447712	80	447724	81	447726
82	447826	83	447908	84	447938
85	447974	86	447977	87	448099
88	448116	89	448141	90	448143
91	448175	92	448251	93	448309
94	448326	95	448643	96	448644
97	448662	98	448667	99	448794
100	448810	101	448833	102	448915
103	448916	104	448917	105	448976
106	448977	107	448978	108	448979
109	449097	110	449110	111	449248
112	449263	113	449281	114	449291
115	449302	116	449351	117	449369
118	449411	119	449413	120	449523
121	449530	122	449531	123	449532
124	449652	125	449697	126	449702
127	449717	128	449718	129	449798
130	449800	131	449829	132	449867
133	449901	134	450680	135	451203
136	451377	137	451496	138	451746
139	452395	140	458566	141	458699
142	458760	143	459216	144	459217
145	459218	146	459506	147	459507
148	459521	149	459522	150	459788
151	460043	152	460081	153	460085
154	460120	155	460187	156	460240
157	460256	158	460274	159	460387





Serial Number: 08/448,644 Page 4

Art Unit: 2733

160	460394	161	460401	162	460556
163	460557	164	460591	165	460592
166	460634	167	460642	168	460668
169	460677	170	460711	171	460713
172	460743	173	460765	174	460766
175	460770	176	460793	177	460817
178	466887	179	466888	180	466890
181	466894	182	467045	183	467904
184	468044	185	468323	186	468324
187	468641	188	468736	189	468994
190	469056	191	469059	192	469078
193	469103	194	469106	195	469107
196	469108	197	469109	198	469355
199	469496	200	469517	201	469612
202	469623	203	469624	204	469626
205	470051	206	470052	207	470053
208	470054	209	470236	210	470447
211	470448	212	470476	213	470570
214	470571 ·	215	471024	216	471191
217	471238	218	471239	219	471240
220	472066	221	472399	222	472462
223	472980	224	473213	225	473224
226	473484	227	473927	228	473996
229	473997	230	473998	231	473999
232	474119	233	474139	234	474145
235	474146	236	474147	237	474496
238	474674	239	474963	240	474964
241	475341	242	475342	243	477547
244	477564	245	477570	246	477660
247	477711	248	477712	249	477805
250	477955	251	478044	252	478107
253	478544	254	478633	255	478767
256	478794	257	478858	258	478864
259	478908	260	479042	261	479215
262	479216	263	479217	264	479374
265	479375	266	479414	267	479523
268	479524	269	479667	270	480059
271	480060	272	480383	273	480392
274	480740	275	481074	276	482573





Serial Number: 08/448,644 Page 5

Art Unit: 2733

277	482574	278	482857	279	483054
280	483169	281	483174	282	483269
283	483980	284	484275	285	484276
286	484858	287	484865	288	485282
289	485283	290	485507	291	485775
292	486258	293	486259	294	486265
295	486266	296	486297	297	487155
298	487397	299	487408	300	487410
301	487411	302	487428	303	487506
304	487516	305	487526	306	487536
307	487546	308	487556	309	487565
310	487649	311	487851	312	487895
313	487980	314	487981	315	487982
316	487984	317	488032	318	488058
319	488378	320	488383	321	488436
322	488438	323	488439	324	488619
325	488620	326	498002	327	511491
328	485773	329	113329		

4. 37 CFR 1.78(b) provides that when two or more applications filed by the same applicant contain conflicting claims, elimination of such claims from all but one application may be required in the absence of good and sufficient reason for their retention during pendency in more than one application. The attached Appendix provides clear evidence that such conflicting claims exist between the 329 related co-pending applications identified above. However, an analysis of all claims in the 329 related co-pending applications would be an extreme burden on the Office requiring millions of claim comparisons.

In order to resolve the conflict between applications, applicant is required to either:

(1) file terminal disclaimers in each of the related 329 applications terminally disclaiming each of the other 329 applications, or;

(

Serial Number: 08/448,644 Page 6

Art Unit: 2733

(2) provide an affidavit attesting to the fact that all claims in the 329 applications have been reviewed by applicant and that no conflicting claims exists between the applications. Applicant should provide all relevant factual information including the specific steps taken to insure that no conflicting claims exist between the applications, or;

resolve all conflicts between claims in the above identified 329 applications by identifying how all the claims in the instant application are distinct and separate inventions from all the claims in the above identified 329 applications (note: the five examples in the attached Appendix are merely illustrative of the overall problem. Only correcting the five identified conflicts would not satisfy the requirement).

Failure to comply with the above requirement will result in abandonment of the application.

INFORMATION DISCLOSURE STATEMENTS

Receipt is acknowledged of applicant's Information Disclosure Statements filed 12-11-95, 02-06-96, and 04-07-97. In view of the unusually large number of references cited in the instant application (approximately 2,200 originally and 645 in the subsequent IDS) and the failure of applicant to point out why such a large number of references is warranted, these references have been considered in accordance with 37 C.F.R. 1.97 and 1.98 to the best ability by the examiner with the time and resources available.

The foreign language references cited therein where there is no statement of relevance or no translation are not in compliance with 37 C.F.R. 1.98 and have not been considered.

Numerous references listed in the IDS are subsequent to applicant's latest effective filing date of

Page 7

Serial Number: 08/448,644

Art Unit: 2733

9/11/87, therefore, the relevancy of these references is unclear. Also cited are numerous references that are apparently unrelated to the subject matter of the instant invention such as: US Patent #33,189 directed toward a beehive, GB 1565319 directed toward a chemical compound, a cover sheet with only the word "ZING", a computer printout from a library search with the words "LST" on it and a page of business cards including that of co-inventor James Cuddihy, among others. The relevancy of these references cannot be ascertained. Furthermore, there are several database search results listed in foreign languages (such as German) which list only the title and document information; no copy has been provided, therefore, these references have not been considered.

CLAIM REJECTIONS - 35 USC § 112

6. Claims 7 and 8 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 7 and 8 are ambiguous it that it is not clear whether "the step of transmitting said signals" corresponds to a transmitting step like that one in "transmitting said information transmission and said at least one valve control in one of a broadcast transmission and a cablecast transmission" or to a communicating step like that in "ceasing to communicate and commencing to communicate said signals to said at least one processor". Thus, it is not clear whether claims 7 and 8 are directed to broadcast/cablecast transmission or valve/processor transmission.

Serial Number: 08/448,644

Art Unit: 2733

Allowable Subject Matter

Page 8

7. Claims 2, 4-6 are allowable over the prior art of record.

8. Claims 7 and 8 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112 set forth in this Office action.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for response to this final action is set to expire THREE MONTHS from the date of this action. In the event a first response is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event will the statutory period for response expire later than SIX MONTHS from the date of this final action.

10. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks Washington, D.C. 20231

or faxed to:

(703) 308-9051, (for formal communications intended for entry)

Or:

Serial Number: 08/448,644

Art Unit: 2733

(703) 308-5403, (for informal or draft communications, please label "PROPOSED" or "DRAFT")

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington. VA., Sixth Floor (Receptionist).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melvin Marcelo whose telephone number is (703) 305-4373. The examiner can normally be reached on Monday to Friday from 8:30 to 5:00 (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wellington Chin, can be reached on (703) 305-4366.


Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 305-3900.

Melvin Marcelo Primary Examiner

January 21, 1998

APPENDIX

(Examples of Claim Conflicts between Applications)



Claim 12

A method of controlling a remote intermediate mass medium programming transmitter station to communicate mass medium program material to one or more receiver stations, with said remote transmitter station including a broadcast or cablecast transmitter for transmitting one or more units of mass medium programming, a plurality of selective transmission devices each operatively connected to said broadcast or cablecast transmitter for communicating a unit of mass medium programming, a mass medium programming receiver, a control signal detector, and a controller or computer capable of controlling one or more of said selective transmission devices, and with said remote transmitter station adapted to detect the presence of one or more control signals, to control the communication of specific units of mass medium programming in response to detected specific

Claim 24

A method of controlling a remote intermediate mass medium programming transmitter station to communicate mass medium program material to one or more receiver stations, with said remote transmitter station including a broadcast or cablecast transmitter for transmitting one or more units of mass medium programming, a plurality of selective transmission devices each operatively connected to said broadcast or cablecast transmitter for communicating a unit of mass medium programming, a mass medium programming receiver, a control signal detector, and a controller or computer capable of controlling one or more of said selective transmission devices, and with said remote transmitter station adapted to detect the presence of one or more control signals, to control the communication of specific units of mass medium programming in response to detected specific



control signals, and to deliver at its broadcast or cablecast transmitter one or more units of mass medium program, said method of communicating comprising the steps of:

- (1) receiving a unit of mass medium programming to be transmitted by the remote intermediate mass medium programming transmitter station and delivering said unit of mass medium programming to a transmitter, said unit of mass medium programming having an instruct signal which is effective at the one or more receiver stations to control a sequence of events;
- (2) receiving one or more control signals which at the remote intermediate mass medium programming transmitter station operate to control the communication of said unit of mass medium programming; and
- (3) transmitting said one or more control signals to said

- control signals, and to deliver at its broadcast or cablecast transmitter one or more units of mass medium program, said method of communicating comprising the steps of:
- (1) receiving a unit of mass medium programming to be transmitted by the remote intermediate mass medium programming transmitter station and delivering said unit of mass medium programming to a transmitter, said unit of mass medium programming having an instruct signal which is effective at the one or more receiver stations to decode a portion of a multichannel broadcast or cablecast transmission;
- (2) receiving one or more control signals which at the remote intermediate mass medium programming transmitter station operate to control the communication of said unit of mass medium programming; and
- (3) transmitting said one or more control signals to said

transmitter before a specific time.

transmitter before a specific time.

Comparison of claim 24 from Serial No. 08/488,620 to claim 23 from Serial No. 08/477,660.

Claim 24

A method of controlling a computer to communicate a television signal in a television network, said network *having* a television transmitter station and a television receiver station, said receiver station having a computer for communicating of television signals, said method comprising the steps of:

programming said receiver station to search for data embedded in a television signal;

inputting an identifier code that designates a unit of computer software;

storing a television signal on a file storage medium at a storage device associated with said computer;

receiving from a remote source an information transmission that contains a control signal;

Claim 23

A method of controlling a computer to communicate a television signal in a television network, said network comprised of a television transmitter station and a television receiver station, said receiver station having a computer for communicating of television signals, said method comprising the steps of:

programming *a processor* to search for data embedded in a television signal;

inputting an identifier code that designates a unit of computer software;

storing a television signal on a file storage medium at a storage device associated with said computer;

receiving from a remote source an information transmission that contains a control signal;

selecting a storage location associated with said computer in response to said control signal;

transferring said unit of computer software to said storage device;

storing said unit of software on said file storage medium;

executing a technique for communicating a file stored on a disk associated with a computer; and

communicating said television signal in accordance with said technique.

٠,

selecting a storage location associated with said computer in response to said control signal;

transferring said unit of computer software to said storage device and

storing said unit of software on said file storage medium,

thereby to enable said computer to execute a technique for communication a file stored on a disk associated with a computer and

communicate said television signal in accordance with said technique.

Comparison of claim 23 from Serial No. 08/488,032 to claim 58 from Serial No. 08/451,746.

Claim 23

A method of communicating subscriber station information from a subscriber station to one or more remote data collection stations, said method comprising the steps of:

- (1) inputting a viewer's or participant's reaction at a subscriber station;
- (2) receiving at said subscriber station information that designates an instruct signal to process or an output to deliver in consequence of subscriber input;
- (3) determining the presence of said subscriber input at said subscriber station by processing said viewer's or participant's reaction;
- (4) processing an instruct signal which is effective to coordinate data processing with communication or presentation of television programming at said

Claim 58

A method of communicating subscriber station information from a subscriber station to one or more remote data collection stations, said method comprising the steps of:

- (1) inputting a viewer's or participant's reaction at a subscriber station;
- (2) receiving at said subscriber station information that designates an instruct signal to process or an output to deliver in consequence of *said specific* subscriber input;
- (3) determining the presence of said *specific* subscriber input at said subscriber station by processing said viewer's or participant's reaction;
- (4) processing an instruct signal which is effective to receive, generate, or present output to supplement television

subscriber station in consequence of said step of determining; and

(5) transferring from said subscriber station to one or more remote data collection stations an indicia confirming delivery of said instruct signal from said step of processing or confirming delivery of said effect from said step of processing. programming at said subscriber station in consequence of said step of determining; and

(5) transferring from said subscriber station to one or more remote data collection stations an indicia confirming delivery of said instruct signal from said step of processing or confirming delivery of said effect from said step of processing. Comparison of claim 47 from Serial No. 08/469,106 to claim 46 from Serial No. 08/487,649.

Claim 47

A method of controlling at least one of a plurality of receiver stations each of which includes a broadcast or cablecast mass medium program receiver, at least one output device, a control signal detector, at least one processor capable of responding to an instruct signal, and with each said mass medium program receiver station adapted to detect and respond to one or more instruct signals, said method of communicating comprising the steps of:

- (1) receiving at a broadcast or cablecast transmitter station an instruct signal which is effective at the receiver station to implement a scheme for generating a control signal and delivering the instruct signal to a transmitter:
- (2) receiving at said transmitter station one or more

Claim 46

A method of controlling at least one of a plurality of receiver stations each of which includes a broadcast or cablecast mass medium program receiver, at least one output device, a control signal detector, at least one processor capable of responding to an instruct signal, and with each said mass medium program receiver station adapted to detect and respond to one or more instruct signals, said method of communicating comprising the steps of:

- (1) receiving at a broadcast or cablecast transmitter station an instruct signal which is effective at the receiver station to select a broadcast or cablecast signalling scheme and generate a signal in consequence of said selected broadcast or cablecast signalling scheme and delivering the instruct signal to a transmitter;
 - (2) receiving at said



control signals which at the receiver station operate to communicate the instruct signal to a specific processor; and

(3) transferring said one or more control signals to the transmitter, said transmitter transmitting the instruct signal and the one or more control signals. transmitter station one or more control signals which at the receiver station operate to communicate the instruct signal to a specific processor; and

(3) transferring said one or more control signals to the transmitter, said transmitter transmitting the instruct signal and the one or more control signals. Comparison of claim 11 from Serial No. 08/477,805 to claim 25 from Serial No. 08/449,523.

Claim 11

A method of controlling a remote television transmitter station to communicate television program material to one or more receiver stations, with said remote television transmitter station including a broadcast or cablecast transmitter for transmitting one or more units of television programming, a plurality of selective transmission devices each operatively connected to said broadcast or cablecast transmitter for communicating a unit of television programming, a television receiver, a control signal detector, and a controller or computer capable of controlling one or more of said selective transmission devices. and with said remote transmitter station adapted to detect the presence of one or more control signals, to control the communication of specific units of television programming in response to detected specific control signals, and to deliver at

Claim 25

A method of controlling a remote television transmitter station to communicate television program material to one or more receiver stations, with said remote television transmitter station including a broadcast or cablecast transmitter for transmitting one or more units of television programming, a plurality of selective transmission devices each operatively connected to said broadcast or cablecast transmitter for communicating a unit of television programming, a television receiver, a control signal detector, and a controller or computer capable of controlling one or more of said selective transmission devices, and with said remote transmitter station adapted to detect the presence of one or more control signals, to control the communication of specific units of television programming in response to detected specific control signals, and to deliver at

its broadcast or cablecast transmitter one or more units of television programming, said method of communicating comprising the steps of:

(1) receiving a unit of television programming to be transmitted by the remote intermediate television transmitter station and delivering said unit of television programming to a transmitter;

- (2) receiving one or more control signals which at the remote intermediate television transmitter station operate to control the communication of a specific one or more of said plurality of units of television programming; and
- (3) transmitting said one or more control signals to said transmitter before a specific time.

- its broadcast or cablecast transmitter one or more units of television programming, said method of communicating comprising the steps of:
- (1) receiving a unit of television programming to be transmitted by the remote intermediate television transmitter station and delivering said unit of television programming to a transmitter, said unit of television programming having an instruct signal which is effective at the one or more receiver stations to implement a television signalling scheme;
- (2) receiving one or more control signals which at the remote intermediate television transmitter station operate to control the communication of said unit of television programming; and
- (3) transmitting said one or more control signals to said transmitter before a specific time.

1, 4.